Tag Groups Info – Shortcode Parameters

Tag Groups Info · https://publishpress.com/knowledge-base/tag-groups-info-shortcode-parameters/

This guide shows you how to use and customize the shortcode for the Tag Groups Info feature in the Tag Groups plugin.

Shortcode

```
[tag_groups_info]
```

Example

```
[tag_groups_info group_id=3 info=label]
```

Data Types

- **string:** A text. For identifiers that won't be visible to visitors you often have to replace spaces with _ or -. If the string contains spaces, you need to wrap it in quotes.
- **integer:** A number without decimal places.
- **0 or 1**: 0 turns the feature off and 1 on.

Parameters

group_id

Determines which groups to display. If you select more than one group, the result will be displayed in a table.

accepted values	default	example shortcode
One group ID, a comma-separated list of IDs or the keyword "all"	all	`group_id=1,3,6`

taxonomy

Restrict the information only to these taxonomies. Available are only taxonomies that have been activated in the Settings.

accepted values	default	example shortcode
comma-separated list of taxonomy names	Taxonomies selected in the settings under "Basics".	`taxonomy=post_tag,product_tag`

html_id

Value for id in the enclosing

or element.

accepted values	default	example shortcode
string	empty	`html_id="my_info_div"`

html_class

Value for class in the enclosing

or element.

accepted values	default	example shortcode
string	empty	`html_class="make-it-count"`

info

Determines which kind of information to display.

accepted values	default	example shortcode
string, one of the options below	"number_of_tags"	`info=label`

Possible values

value	description
number_of_tags	Shows the number of assigned tags. For a single tag group, the output is only a number. For multiple tag groups, the output is a table with the group names on the left side.
label	Shows the label (name) of this group, or a table of group names for multiple groups.
link	(only available in the premium version)