Tag Groups Menu – Shortcode Parameters

Tag Groups Menu (Pro) · https://publishpress.com/knowledge-base/tag-groups-menu-parameters/

This guide shows you how to use and customize the shortcode for the Tag Groups Menu feature in the Tag Groups plugin.

Shortcode

```
[tag_groups_menu]
```

Example

```
[tag_groups_menu taxonomy=product_tag include=1,3,4 type=autoselect]
```

Data Types

- **string:** A text. For identifiers that won't be visible to visitors you often have to replace spaces with _ or -. If the string contains spaces, you need to wrap it in quotes.
- **integer:** A number without decimal places.
- **0 or 1**: 0 turns the feature off and 1 on.

Parameters

Tags or Terms

include

Determines which groups to include.

accepted values	default	example shortcode
comma-separated list of group IDs	empty (all enabled)	`include=1,5`

taxonomy

Determines the post page where the posts will be filtered. Available are only taxonomies that have been activated in the Settings.

accepted values	default	example shortcode
one taxonomy name	post_tag	`taxonomy=product_tag`

Menu

type

The type of menu.

- "select": Drop-down menu with a submit button. The posts will only be displayed when the user clicks on the button.
- "autoselect": Drop-down menu without a button. The posts will be displayed as soon as the user selects an option.

accepted values	default	example shortcode
string	select	`type=select`

Target Page

custom_url

Optional custom URL where you want to display the posts.

accepted values	default	example shortcode
string	none	`custom_url='https://www.example.com/posts/'`

shop

If you supply this parameter, then the search will happen on the default product page. This page is determined according to the e-commerce plugin. Currently there is only "wc", which stands for "WooCommerce".

accepted values	default	example shortcode
string	empty	`shop=wc`

Labels and Messages

submit_label

Text on the submit button, if you use one.

accepted values	default	example shortcode
string	"search"	`submit_label="submit"`

not_assigned_name

Label of the button for the "not assigned" group.

accepted values	default	example shortcode
string	"not assigned"	`not_assigned_name="all the rest"`

Advanced Styling

You can set here IDs and classes to be referred to in CSS. You need some knowledge of CSS to use these options.

div_id

Define an ID for the enclosing .

Avoid words that are used by WordPress such as "content" or "main". Each ID must be unique for the entire page.

accepted values	default	example shortcode
string	empty (random value)	`div_id="sidebar_01"`

div_class

Define a class for the enclosing .

accepted values	default	example shortcode
string	none	`div_class="make-it-dark"`